

IK Multimedia iLoud Sub



IK Multimedia announces the iLoud Sub, which redefines what a studio subwoofer can be, delivering deep, accurate, and impeccably controlled low-end performance in the smallest footprint on the market, while also significantly enhancing the sound of satellite speakers. iLoud Sub is the only subwoofer that automatically calibrates itself and any connected monitors to the room, regardless of brand, providing balanced, accurate, and reliable sound across the entire audio spectrum, from bottom to top. Powered by ARC X's advanced DSP, iLoud Sub gives modern music producers complete confidence in their mixing decisions and hi-fi enthusiasts the opportunity to experience music exactly as it was meant to be heard.

iLoud Sub at a Glance:

- Smallest footprint on the market: Fits in any studio - no rearranging required
- 25Hz deep bass extension: Experience the full low end of modern productions
- ARC X room correction: Perfect system alignment with zero guesswork
- Automatic setup: Effortless studio integration and subwoofer calibration
- Integrates with existing monitors: Automatically works with any monitor brand
- Controlled, accurate, musical low end: Mixes translate flawlessly everywhere

iLoud Sub is engineered to deliver full-range clarity and depth while maintaining perfect balance within the listening environment. Taking up only a small fraction of the size of traditional studio subwoofers, it integrates naturally into any workspace,

Thursday, 20 November 2025 15:49

ARC X Calibration

Measurement - Analysis

Here, you can customize the calibration settings.

Keep in mind that higher accuracy will increase calibration time.

Listening Area: Studio - Monitor Mix

Accuracy: Standard

Fast Mode: Disabled

Countdown: 5 Seconds

Measurement Points: 7

Estimated Time: 7 minutes

System Check:

- Volume Check
- Routing Check
- Audio Setup
- Mic Selection
- Mic Setup
- Measurement**
- Analysis
- Results
- Process Completed

ARC X

System:

Component	Cal Range (Hz)	Gain (dB)	Delay (ms)	Level	Status	Actions
System	20 - 20000	0.0	0.0			
Front Left	0.0	0.0				
Front Right	0.0	0.0				
Subwoofer	0.0	0.0				

Phoca PDF

- Every detail in kicks, bass lines, and sound design comes into focus
- Low-end balance becomes a matter of accuracy, not assumption
- Enjoy fuller low end that doesn't overpower or throw off mix translation

No more guesswork. No more endless revisions. Just clarity, confidence, and mixes that move with power and precision.

Premium components and maximum musicality - Features of the iLoud Sub:

- 6.5" high-performance aluminum driver
- Dual 6.5" passive radiators for extended bass
- 200W peak power amplification
- Low-frequency response down to 25Hz

The result? Low end that's deep yet impeccably controlled, warm yet defined, and powerful without ever clouding the midrange. It's not just more bass - it's bass perfected.

Connections and control:

- XLR + RCA analog inputs and outputs
- USB digital audio input
- High-quality Bluetooth streaming
- Full system calibration via ARC X software

Works perfectly with:

- iLoud Micro Monitor and Micro Monitor Pro
- iLoud MTM
- Any 3-7" nearfield monitors
- Compact immersive setups
- Post-production and multimedia edit suites

If the studio fits on a desktop, iLoud Sub fits right in. iLoud Sub isn't just about adding low end - it's about elevating the entire monitoring system to a new level. Mixers and producers can work faster, make bolder creative choices, and experience music with full-range depth and emotional impact that conventional monitors simply can't deliver on their own. iLoud Sub is available for preorder from the IK Multimedia online store and IK-authorized dealers worldwide, with units shipping in December. The iLoud Sub includes ARC X control software and plug-in, and an ARC Measurement microphone.

www.ikmultimedia.com